

# INSECT-O-CUTOR

FLYING INSECT ELECTROCUTORS

## ENERGY-EFFICIENT THREE-LAMP SERIES 7194E

UNITED STATES MODEL NUMBER	CANADIAN MODEL NUMBER	MODEL SERIES	BLACK LIGHT ATTRACTION LAMPS	METAL MATERIALS
7194EDG	—	7	TWO 36 AND ONE 36B	BEIGE TEXTURED
7194EDGA	7194EDGA	7	TWO 36 AND ONE 36B	ALUMINIZED STEEL
7194EDGS	7194EDGS	7	TWO 36 AND ONE 36B	STAINLESS STEEL

### TECHNICAL DATA AND ELECTRICAL SPECIFICATIONS

#### 120 VOLT/60 HZ MODELS ONLY

PRIMARY: 120 VOLTS, 60 HERTZ      SECONDARY: 4500 VOLTS      NOTE: UNIT MUST BE GROUNDED.

TRANSFORMER (WITH INTERNAL CAPACITANCE): ..... T740C  
mA OUTPUT: 9.8    AMP. INPUT: 0.7

ENERGY EFFICIENT BALLAST — ONE PER UNIT: ..... BPE36

#### UNIT DIMENSIONS:


16.00" / 40.64 CM WIDE X 45.50" / 115.57 CM HIGH X 5.00" / 12.70 CM DEEP

#### SHIPPING WEIGHTS:

BEIGE TEXTURED: ..... 41 LBS / 18.6 KG  
ALUMINIZED STEEL: ..... 41 LBS / 18.6 KG  
STAINLESS STEEL: ..... 43 LBS / 19.5 KG

UNIT DIMENSIONS: 16.25" / 41.30 CM WIDE X 60.00" / 152.40 CM HIGH X 7.25" / 18.50 CM DEEP

PACKED CARTON: 3.62 CUBIC FEET / 0.103 CUBIC METERS



Series 7194E Vertical Wall Mount Models may be installed in warehouses, between loading docks, at firewalls, and in high-traffic corridors.

**Series 7194E models are designed to comply with various energy compliance acts and energy conservation programs. Using electronic ballasts and T8 diameter lamps, these models reduce average electrical consumption by 26% to 40% (compared to standard magnetic ballasted T12 lamp systems). Additionally, overall light output is increased 8% to 15% per lamp due to increased operational efficiency. Less energy consumed... more insect attraction light emitted.**

**STANDARD FEATURES:** Equipped with three 36" T8 black light insect attraction lamps. Safety guard; rear keyhole slots for wall mounting; wraparound reflector panel behind electric grid increases black light emission; accent pinstriping; narrow width allows recessed installation into wall structures when flush-mounting. Safety switch interrupts electrical current when servicing unit; internal metal insect collection drawer; spring-loaded and fixed lampholder sets for simple lamp installation; three-wire grounded cord and plug. Heavy-duty transformer is shunt-protected. Safety-tested and certified by Intertek Testing Services, N.A. Inc. (ETL™) and Canadian Standards Association (CSA®).

**ENERGY EFFICIENT (EE) MODELS** are designed to comply with various energy compliance acts and energy conservation programs. Electronic-ballasted models reduce overall electrical consumption, while increasing light output by 8% to 15% per lamp due to increased operational efficiency. Less energy consumed... more insect attraction light emitted.



Contains Mercury; Dispose According to Local, State or Federal Laws

1641 Lewis Way  
Stone Mountain, GA, USA 30083-1107

Phone: (770) 939-2835

Fax: (770) 621-0100

e-mail: info@insect-o-cutor.com

<http://www.insect-o-cutor.com>